

ASSIGNED  
43631

Serial No. \_\_\_\_\_

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

APR 28 1981

Date of filing in State Engineer's Office \_\_\_\_\_

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed JUL 8 1981 under 43627

The applicant Richard L. Bailey

1300 Marietta Way of Sparks  
Street and No. or P.O. Box No. City or Town

Nevada 89431 hereby make s application for permission to change the  
State and Zip Code No.

place of use \_\_\_\_\_

of water heretofore appropriated under Permit 39496

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is underground  
Name of stream, lake, underground, spring or other source.
2. The amount of water to be changed 0.255 c.f.s, 60.16 mga  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for quasi-municipal and domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore used for quasi-municipal and domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point NO CHANGE

Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. The existing point of diversion is located within SE $\frac{1}{4}$  NE $\frac{1}{4}$  Section 21, T20N, R20E, M.D.B. & M.  
or at a point from which the NE corner of said Section 21 bears N 6°01' E, a  
distance of 1349 feet.  
If point of diversion is not changed, do not answer.

7. Proposed place of use S $\frac{1}{2}$  SE $\frac{1}{4}$  Section 16, and portions of the NE $\frac{1}{4}$  Section 21,  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
T20N, R20E, M.D.B. & M.

8. Existing place of use Portion NE $\frac{1}{4}$  Section 21, T20N, R20E, M.D.B. & M.  
Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.

9. Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day
10. Use has been from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, storage tank, and distribution system  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 12. Estimated cost of works.....\$200,000.....
- 13. Estimated time required to construct works..... 5 years.....
- 14. Estimated time required to complete the application of water to beneficial use..... 10 years.....
- 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The total combined duty of water under any permit issued under this application and any permits issued under the other 8 applications in the same name filed simultaneously with this one, are to be limited to 78.2 mga and service to 214 units.

Compared bl/ lp ..... ja/bt ..... Applicant.....  
 By s/T. F. Holt.....  
625 Margrave Drive  
Reno, Nevada 89502

.....APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of the waters of an underground source as heretofore granted under Permit 39496 is issued subject to the terms and conditions imposed in said Permit 39496 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under Permits 43627, 43628, 43629, 43630, 43631, 43632, 43633, 43634, and 43635 shall not exceed 78.2 million gallons annually. No perforations shall be put in the production casing from ground level to 100 feet.

The total number of units to be served under Permits 43627, 43628, 43629, 43630, 43631, 43632, 43633, 43634, and 43635 shall not exceed 214 units.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.255..... cubic feet per second, but not to exceed 60.16 million gallons annually.

- Actual construction work shall begin on or before..... N/A.....
- Proof of commencement of work shall be filed before..... N/A.....
- Work must be prosecuted with reasonable diligence and be completed on or before..... May 10, 1983.....
- Proof of completion of work shall be filed before..... June 10, 1983.....
- Application of water to beneficial use shall be made on or before..... May 10, 1985.....
- Proof of the application of water to beneficial use shall be filed on or before..... June 10, 1985.....
- Map in support of proof of beneficial use shall be filed on or before..... June 10, 1985.....

Commencement of work filed.....  
 Completion of work filed..... **OCT 11 1984**.....  
 Proof of beneficial use filed.....  
 Cultural map filed.....  
 Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I..... PETER G. MORROS.....  
 State Engineer of Nevada, have hereunto set my hand and the seal of my office, this..... day of.....  
 D. 19..... 82.....

*[Signature of Peter G. Morros]*  
 State Engineer

CANCELLED..... BECAUSE OF FAILURE OF PERMIT TO COMPLY WITH THE PROVISIONS OF PERMIT

Recorded By 48081 0255cfs.

*[Signature]* STATE ENGINEER  
 Cancellation received 9-19-84